

SM5533 Tank Sump


Watertight tank access chambers




- Spacious octagonal base
- Large flat panels, 8 pipe entry orientations
- Height-trimmable riser
- Quarter turn locking lid with central observation cap
- Nitrile rubber gaskets



Tank Sump – Street cover kit



The SM5500 sump base is available with plain bottom for cut-out on site to match the provided tank frame.



Components description

Product code	Description
Composite street cover, EN124 Class C250 (250 kN)	
SLC3600FR	Composite frame for 36" cover
SLC3600CVR	Composite cover 36", without central dipping opening
SLC3600DCCVR	Composite cover 36", with central dipcap, colour to be specified in the order
SKI0036	Skirt for SLC3600 frame; 300 mm deep
Central dip cap for street covers	
DC0800 SLT0010xx	Set of two colour plates for central dip cap xx = YE: Yellow, OR: Orange, BL: Black, GR: Green, PU: Purple, WH: White, MA: Auburn, RD: Red, BE: Blue
Tank sump	
SM5500	Octagonal base, 55" - 1,35 m, plain bottom
SM5500FR	Octagonal base, 55" - 1,35 m, square bottom cut for upstand frame 960 x 960 mm
SM5500SC	Octagonal base, 55" - 1,35 m, round bottom cut for upstand frame 1.200 mm
LG0048	Nitrile gasket, base to riser
BK0048	Bolt kit, base to riser
RI0033-42TT	Round corrugated riser, O.D. 33" - 0,83 m, height 23" - 0,59 m
LT0033OC	Lid O.D. 33" - 0,83 m with central observation cap OC0007
OC0007	Observation cap for LT0033OC lid
Base to tank installation kit, for square upstand frame 960 x 960 mm	
MG0960	Square Nitrile gasket, 960 x 960 mm
MS0960	Compression strips (4) for 960 x 960 mm frame
BW0036	Bolt kit, base to tank upstand frame
Base to tank installation kit, for round upstand frame 1.200 mm	
MG1200	Round gasket, 1.200 mm
MS1200	Compression strip for 1.200 mm round frame
BW0024	Bolt kit, base to tank upstand frame

Product codes for complete sets

Product code	Description
SM5533TT	Plain bottom, short riser with observation cap OC007
SM5533TTFR	Square bottom, short riser with observation cap OC007
SM5533TTSC	Round bottom, short riser with observation cap OC007

Complete sets includes LG0048 and BK0048
Note: base to tank installation kit not included (MK0960)

Features of the SM5533 sump

- Octagonal base for structural strength when backfilled.
- 8 large flat panels for installation of “Easy Fit” pipe entry fittings.
- Rotomolded from durable poly ethylene that is easy and safe to work with.
- Compatible with all fuels including high blend Ethanol fuels (E85) and bio-diesel.
- Chamber is closed and sealed with a lid.
- Corrugated, height-trimmable riser, available in two lengths.
- Chamber meets the confined workspace safety requirements.
- Spacious and accessible.
- All gaskets in Nitrile rubber.



For the pipe entry fittings consult the “EASY FIT” brochure.

